CLINICAL AND EXPERIMENTAL IMMUNOLOGY

CONTENTS

Vol 98 No 1 October 1994	
I P KALDEN & S. GAV. Petroviruses and autoimmur	10

rheumatic	c diseases						
C. CHRIS	STOPOULOS	s: I	Platele	et surface	IgG	in	patients
receiving	infusions	of	Fab	fragments	of	a	chimaeric
	and and the d		1	material Title 1	TTT-		

R. H	LAWRENCE	E & T. C. S			entaenoic
acid	modulates	neutrophil	leukotrien	e B ₄	receptor
expre	ession in cyst	ic fibrosis			

J. GOODE	іск, В. К	UMPEL, I	О. Рамрн	ILON, I	. FRASER
G. CHAPA	MAN, B. DA	wes & D	. ANSTEE	Plasma	a half-live
and bioa	vailability	of huma	n monocl	onal R	h D anti
bodies Bl	RAD-3 and	d BRAD	-5 followi	ng intr	amuscula
injection i	into Rh D.	negative	volunteer	c	

EN,
TA,
man
ong-
ion-
in

E. ABRAHAM, W. F. COULSON, M. D. SCHWARTZ &
J. ALLBEE: Effects of therapy with soluble tumou
necrosis factor receptor fusion protein on pulmonar
cytokine expression and lung injury following haemon
rhage and resuscitation

T. SATO, T.	Исниимі,	M. AF	RAKAWA	& R. K	OMINA	AMI:
Serological	association	n of h	upus au	toantib	odies 1	o a
limited fund	tional don	nain of	28S rib	osomal	RNA	and
to the ribos	omal protei	ine hou	nd to th	e doma	in	

M. J. GARLEPP,	B.	LAING,	P.	J.	ZILKO,	W.	OLLIE	R &	į
F. L. MASTAGLI	A: I	HLA asse	ocia	atio	ons with	inc	lusion b	ody	ġ
myositis									

M.	SH	INGU,	M.	HASH	мото,	I.	EZAK	1 8
M.	Non	UNAG	A: Effe	ct of	cytokin	e-in	duced s	oluble
ICA	M-1	from	human	synov	ial cells	on	synovial	cell-
lym	phoc	yte ad	hesion					

ij in price j to warrector.
L. G. RATKAY, D. ZHANG, J. TONZETICH, J. G. LEVY &
J. D. WATERFIELD: Evaluation of a model for post-
partum arthritis and the role of oestrogen in prevention
of MRI -/nr associated rheumatic conditions

K. A. BERNST	EIN,	L.	E. I	KAHL,	J.	E.	BALOW	8
J. B. LEFKOWIT	H: Se	erolo	gic n	narkers	of	lupi	us nephi	ritis
in patients: use	of tis	sue-	based	ELISA	A ai	nd e	evidence	for
immunopathoge	nic h	eter	ogene	itv				

F. J. QASIM, P. W. MATHIESON, S. THIRU & D. B. G.
OLIVEIRA: Use of methyl prednisolone and antioxidants
in mercuric chloride-induced experimental vasculitis

K. D. SEKIYAMA, M. YOSHIBA & A. W. THOMSON:
Circulating proinflammatory cytokines (IL-1β, TNF-α,
and IL-6) and IL-1 receptor antagonist (IL-1Ra) in
fulminant hepatic failure and acute hepatitis

M	. C. FALK, G. NG.	G. Y.	ZHANG.	G. C.	FANNI	NG.
	. R. KAMATH & J. F					,
re	ceptor Vδ3 in small	bowel b	iopsies fr	om co	eliac dis	ease
pa	atients					
D	GILCOMETTI I	Dens	PANIDOR	CI	Corne	A

	Passacantando, F. Pizzuto, T. Pimpo, P. Cipriani,			
6	A. VISCIDO, R. CAPRILLI & G. TONIETTI: Increase of			
	circulating γ/δ T lymphocytes in the peripheral blood of			
	patients affected by active inflammatory bowel disease			

	I man and a man a
12	E. CHRONOPOULOU, T. I. MICHALAK & G.
	CARAYANNIOTIS: Autoreactive IgG elicited in mice by
	the non-dominant but pathogenic thyroglobulin peptide
	(2495-2511): implications for thyroid autoimmunity

	R. SLOBBE, L. POELS, G. IEN DAM, O. BOERMAN,
17	L. NIELAND, J. LEUNISSEN, F. RAMAEKERS &
	G. VAN EYS: Analysis of idiotope structure of ovarian
	cancer antibodies: recognition of the same epitope by two
	monoclonal antibodies differing mainly in their heavy
	chain variable sequences
	P. PETERSON & K. J. E. KROHN: Mapping of B cell

	epitopes on steroid 17α -hydroxylase, an autoantigen in
21	autoimmune polyglandular syndrome type I
	J. W. MEEKINS, P. J. McLaughlin, D. C. WEST,
	I. R. McFadyen & P. M. Johnson: Endothelial cell

activation by tumour necrosis factor-alpha (TNF- α) and

	the development of pre-eclampsia				
29	CH. LOCHER, G. VANHAM, L. KESTENS, M. KRUGER,				
	J. L. CEUPPENS, J. VINGERHOETS & P. GIGASE: Expres-				
	sion patterns of Fcy receptors, HLA-DR and selected				
	adhesion molecules on monocytes from normal and HIV-				

infected individuals

	M. DENIS: Envelope glycoprotein (gp120) from HIV-	1
	enhances Mycobacterium avium growth in human	
40	bronchoalveolar macrophages; an effect mediated by enhanced prostaglandin synthesis	y

	1. ZHANG, W. COSTNS, W. J. LEVIN & A. R. HATWARD.
	Cytokine production in varicella zoster virus-stimulated
46	limiting dilution lymphocyte cultures
	I DADANIN NI OVADA V DADANIN U TANZAWA &

mining andron sympholyte canalo
L. BARANYI, N. OKADA, K. BARANJI, H. TAKIZAWA &
H. OKADA: Membrane-bound complement regulatory
activity is decreased on vaccinia virus-infected cells

52	C. Michie, A. Scott, J. Cheesbrough, P. Beverley
	& G. PASVOL: Streptococcal toxic shock-like syndrome:
	evidence of superantigen activity and its effects on
	T lymphocyte subsets in vivo

60	P. R. WHEELER, J.	G. RAYNES	& K. P. V	V. J. McADA	M
	Autoantibodies to	cerebroside	sulphate	(sulphatide)	ir
	leprosy				

66	F. C. VAN REIJSEN, O. L. C. WIJBURG, M. GEBHARDT,			
	A. G. VAN IEPEREN-VAN DIJK, S. BETZ, EM. POEL-			
	ABAUER, T. THEPEN, C. A. F. M. BRUIJNZEEL-KOOMEN			
	& G. C. MUDDE: Different growth factor requirements			
71	for human Th2 cells may reflect in vivo induced anergy			

203

N. H. P. M. JUTTE, K. GROENEVELD, A. H. M. M. BALK, A. J. OUWEHAND, E. H. M. LOONEN, M. VAN DER LINDEN, S. STRIKWERDA, B. MOCHTAR, F. H. J. CLAAS & W. WEIMAR: The development of transplant coronary artery disease after cardiac transplantation is correlated with a predominance of CD8⁺ T lymphocytes in endomyocardial biopsy derived T cell cultures S. KUKEL, U. REINHOLD, I. OLTERMANN & H.-W. KREYSEL: Progressive increase of CD7 T cells in human blood lymphocytes with ageing K. Suzuki, W. J. Lee, T. Hashimoto, E. Tanaka, T. MURAYAMA, R. AMITANI, K. YAMAMOTO & F. KUZE: Recombinant granulocyte-macrophage colony-stimulating factor (GM-CSF) or tumour necrosis factor-alpha (TNF-α) activate human alveolar macrophages to inhibit growth of Mycobacterium avium complex

Vol 98 No 2 November 1994

C. J. ELSON & S. J. THOMPSON: Immunity, autoimmunity and immunotherapy: new frontiers in heat shock protein research

G. J. Gorse, D. H. Schwartz, B. S. Graham, T. J. Matthews, D. M. Stablein, S. E. Frey, R. B. Belshe, M. L. Clements, P. F. Wright, M. Eibl, P. E. Fast & the niaid aids vaccine clinical trials network: HIV-1 recombinant gp160 vaccine given in accelerated dose schedules

A. C. Jaleco, M. J. Covas & R. M. M. Victorino: Analysis of lymphocyte cell death and apoptosis in HIV-2-infected patients

C. LACROIX, M. LEVACHER-CLERGEOT, F. CHAU, M. H. SUMUYEN, M. SINET, J. J. POCIDALO & F. DEROUIN: Interactions between murine AIDS (MAIDS) and toxoplasmosis in co-infected mice

A. L. LAURSEN, B. MØLLER, J. RUNGBY, C. M. PETERSEN & P. L. ANDERSEN: *Pneumocystis carinii*-induced activation of the respiratory burst in human monocytes and macrophages

M. EVAGELATOU, A. D. B. Webster & J. Farrant: Effects of 17β -oestradiol on function of lymphocytes from normal donors and patients with common variable immunodeficiency (CVID)

J. Pedrosa, M. Flórido, Z. M. Kunze, A. G. Castro, F. Portaels, J. McFadden, M. T. Silva & R. Appelberg: Characterization of the virulence of *Mycobacterium avium* complex (MAC) isolates in mice A. Vecchiarelli, D. Pietrella, M. Dottorini, C. Monari, C. Retini, T. Todisco & F. Bistoni: Encapsulation of *Cryptococcus neoformans* regulates fungicidal activity and the antigen presentation process in human alveolar macrophages

C. Barrios, C. Tougne, B. S. Polla, P.-H. Lambert & G. Del Giudice: Specificity of antibodies induced after immunization of mice with the mycobacterial heat shock protein of 65 kD

C. Barrios, C. Georgopoulos, P.-H. Lambert & G. Del Giudice: Heat shock proteins as carrier molecules: in vivo helper effect mediated by Escherichia coli GroEL and DnaK proteins requires cross-linking with antigen

T. MISAKI, R. TAKEUCHI, S. MIYAMOTO, A. HIRANO,
K. KASAGI & J. KONISHI: Induction in vitro of 72-kD
heat shock protein in a continuous culture of rat thyroid cells, FRTL5

234

240

245

252

257

264

270

287

295

300

306

313

319

C. Wenisch, D. Myskiw, B. Parschalk, T. Hartmann, K. Dam & W. Graninger: Soluble endothelium-associated adhesion molecules in patients with Graves' disease D. M. Kennedy, A. W. Skillen & C. H. Self: Glycation of monoclonal antibodies impairs their ability to hind autient.

to bind antigen
 C. Muscat, A. Bertotto, E. Agea, O. Bistoni,
 R. Ercolani, R. Tognellini, F. Spinozzi,
 M. Cesarotti & R. Gerli: Expression and functional role of 1F7 (CD26) antigen on peripheral blood and synovial fluid T cells in rheumatoid arthritis patients
 T. Matsuyama, N. Nakashima, T. Matsuda,

H. NAKAMURA, S. UCHIDA & T. ABE: Induction of multinucleated giant cells from rheumatoid arthritis (RA) synovial adherent cells by anti-DR antibody K. KANEKO, C. O. S. SAVAGE, B. E. POTTINGER, V. SHAH, J. D. PEARSON & M. J. DILLON: Antiendothelial cell antibodies can be cytotoxic to endothelial cells

without cytokine pre-stimulation and correlate with ELISA antibody measurement in Kawasaki disease A. H. L. MULDER, P. HEERINGA, E. BROUWER, P. C. LIMBURG & C. G. M. KALLENBERG: Activation of granulocytes by anti-neutrophil cytoplasmic antibodies (ANCA): a FcγRII-dependent process

W. Coers, E. Brouwer, J. T. W. M. Vos, A. Chand, S. Huitema, P. Heeringa, C. G. M. Kallenberg & J. J. Weening: Podocyte expression of MHC class I and II and intercellular adhesion molecule-1 (ICAM-1) in experimental pauci-immune crescentic glomerulonephritis C. Meziere, F. Stöckl, S. Batsford, A. Vogt & S. Muller: Antibodies to DNA, chromatin core particles and histones in mice with graft-versus-host disease

and their involvement in glomerular injury
A. M. KARKAR & A. J. REES: Influence of an established
acute phase response on the severity of experimental
nephritis

A. R. ROSENKRANZ, E. TEMPL, O. TRAINDL, H. HEINZL & G. J. ZLABINGER: Reactive oxygen product formation by human neutrophils as an early marker for biocompatibility of dialysis membranes

J. Zhu, E. Mix, T. Olsson & H. Link: Cellular mRNA expression of interferon-gamma, IL-4 and transforming growth factor-beta (TGF-β) by rat mononuclear cells stimulated with peripheral nerve myelin antigens in experimental allergic neuritis

E. CASH & O. ROTT: Microglial cells qualify as the stimulators of unprimed CD4⁺ and CD8⁺ T lymphocytes in the central nervous system

J. MAEDA, N. UEKI, T. OHKAWA, N. IWAHASHI, T. NAKANO, T. HADA & K. HIGASHINO: Transforming growth factor-beta 1 (TGF-β1)- and β2-like activities in malignant pleural effusions caused by malignant mesothelioma or primary lung cancer

E. LEGOUFFE, J. LIAUTARD, J. P. GAILLARD, J.-F. ROSSI, J. WIJDENES, R. BATAILLE, B. KLEIN & J. BROCHIER: Human anti-mouse antibody response to the injection of murine monoclonal antibodies against IL-6

C. D. RICHTERS, M. J. HOEKSTRA, J. VAN BAARE, J. S. Du PONT, E. C. M. HOEFSMIT & E. W. A.		the presence of autoantibodies against U1-ribonucleo- protein and/or negatively charged molecules; implication in the natheography of pulmant the presence of	
KAMPERDIJK: Isolation and characterization of migratory human skin dendritic cells Z. SZEKANECZ, M. R. SHAH, W. H. PEARCE & A. E. KOCH: Intercellular adhesion molecule-1 (ICAM-1) expression and soluble ICAM-1 (sICAM-1) production by cytokine-activated human-activated h	330	M. Blank, J. Manosroi, Y. Tomer, A. Manosroi, J. Kopolovic, S. Charcon-Polak & Y. Shoenfeld: Suppression of experimental systemic lupus erythematosus	427
vated human aortic endothelial cells: a possible role for ICAM-1 and sICAM-1 in atherosclerotic aortic aneurysms Y. Delneste, P. Lassalle, P. Jeannin, M. Joseph, A. B. Tonnel & P. Gosset: Histamine induces IL-6	337	(SLE) with specific anti-idiotypic antibody-saporin conjugate C. PLATER-ZYBERK, P. C. TAYLOR, M. G. BLAYLOCK & R. N. MAINI: Anti-CD5 therapy decreases severity of	434
production by human endothelial cells	344	established disease in collagen type II-induced arthritis in DBA/1 mice	442
Vol 98 No 3 December 1994		E. Brouwer, C. A. Stegeman, M. G. Huitema, P. C. Limburg & C. G. M. Kallenberg: T cell	
A. W. Thompson & J. V. Forrester: Therapeutic advances in immunosuppression R. S. Pumphrey: Allergy to <i>Hevea</i> latex A. Rubbert, E. Bock, J. Schwab, J. Marienhagen,	351 358	reactivity to proteinase 3 and myeloperoxidase in patients with Wegener's granulomatosis (WG) A. M. Saboori, C. L. Burek, N. R. Rose, H. S. Bresler, M. Talor & R. C. Kuppers: Tryptic	448
H. NÜBLEIN, F. WOLF & J. R. KALDEN: Anticardiolipin antibodies in HIV infection: association with cerebral		peptides of human thyroglobulin: I. Immunoreactivity with murine monoclonal antibodies	454
perfusion defects as detected by ^{99m} Tc-HMPAO SPECT W. A. NOCKHER, L. BERGMANN & J. E. SCHERBERICH: Increased soluble CD14 serum levels and altered CD14 expression of peripheral blood monocytes in HIV-	361	A. M. SABOORI, P. CATUREGLI, N. R. ROSE, S. MARIOTTI, A. PINCHERA & C. L. BUREK: Tryptic peptides of human thyroglobulin: II. Immunoreactivity with sera from patients with thyroid diseases	459
infected patients S. D. Olver, P. Price & G. R. Shellam: Cytomegalovirus hepatitis: characterization of the inflammatory	369	P. CATUREGLI, R. C. KUPPERS, S. MARIOTTI, C. LYNNE BUREK, A. PINCHERA, P. W. LADENSON & N. R. ROSE: IgG subclass distribution of thyroglobulin antibodies in	437
infiltrate in resistant and susceptible mice ZX. Zhang, A. Sönnerborg & M. Sällberg: Anti-	375	patients with thyroid disease Z. Wu, E. R. Podack, J. M. McKenzie, K. J. Olsen &	464
genic structure of the hepatitis C virus envelope 2 protein B. Evengård, K. Sandstedt, G. Bölske, R. Feinstein, I. Riesenfelt-Örn & C. I. E. Smith: Intranasal inoculation of <i>Mycoplasma pulmonis</i> in mice with severe combined immunodeficiency (SCID) causes a	382	M. ZAKARIJA: Perforin expression by thyroid-infiltrating T cells in autoimmune thyroid disease F. Vargas, E. Tolosa, M. Sospedra, M. Catálfamo, A. Lucas-Martin, G. Obiols & R. Pujol-Borrell: Characterization of neural cell adhesion molecule	470
wasting disease with grave arthritis S. W. Chensue, K. S. Warmington, J. Ruth, P. M. Lincoln & S. L. Kunkel: Cross-regulatory role of	388	(NCAM) expression in thyroid follicular cells: induction by cytokines and over-expression in autoimmune glands K. Josefsen, H. Nielsen, S. Lorentzen, P. Damsbo	478
interferon-gamma (IFN- γ), IL-4 and IL-10 in schisto- some egg granuloma formation: <i>in vivo</i> regulation of Th activity and inflammation	395	& K. Buschard: Circulating monocytes are activated in newly diagnosed type 1 diabetes mellitus patients S. Jung, K. V. Toyka & H. P. Hartung: Impact of 15-	489
T. G. EGWANG, T. H. DUONG, C. NGUIRI, P. NGARI, S. EVERAERE, D. RICHARD-LENOBLE, A. A. GBAKIMA & M. KOMBILA: Evaluation of <i>Onchocerca volvulus</i> -specific IgG4 subclass serology as an index of onchocer-		deoxyspergualin on effector cells in experimental auto- immune diseases of the nervous system in the Lewis rat C. Simark-Mattsson, G. Bergenholtz, M. Jontell, A. Tarkowski & U. I. Dahlgren: T cell	494
ciasis transmission potential of three Gabonese villages D. H. BEEZHOLD, G. L. SUSSMAN, D. A. KOSTYAL & NS. CHANG: Identification of a 46-kD latex protein	401	receptor V-gene usage in oral lichen planus; increased frequency of T cell receptors expressing $V\alpha 2$ and $V\beta 3$ C. Manzo & C. Ferraluolo: Early detection of the	503
allergen in health care workers J. G. ROUTSIAS, M. SAKARELLOS-DAITSIOTIS, E. DETSIKAS, A. G. TZIOUFAS, C. SAKARELLOS & H. M. MOUTSOPOULOS: Antibodies to EYRKK vesicu-		allogeneic effect in the mixed lymphocyte reaction (MLR) by anti-CD3 IgA mouse monoclonal antibody A. TORCHINSKY, A. FEIN, H. J. A. CARP & V. TODER: MHC-associated immunopotentiation affects the embryo	508
lar stomatitis virus-related peptide account only for a minority of anti-Ro60kD antibodies J. A. James, M. J. Mamula & J. B. Harley: Sequential autoantigenic determinants of the small nuclear ribonu-	414	response to teratogens M. SIOUD, A. DYBWAD, L. JESPERSEN, S. SULEYMAN, J. B. NATVIG & Ø. FØRRE: Characterization of naturally occurring autoantibodies against tumour necrosis factor-	513
cleoprotein Sm D shared by human lupus autoantibodies and MRL <i>lpr/lpr</i> antibodies M. Okawa-Takatsuji, S. Aotsuka, S. Uwatoko,	419	alpha (TNF-α): in vitro function and precise epitope mapping by phage epitope library E. J. Hughes, E. A. Goddard, P. Bouic & D. W.	520

BEATTY: Flow cytometry analysis of OKT4 epitope

526

deficiency in South African black children

M. SUMIYA & R. YOKOHARI: Enhanced synthesis of

cytokines by peripheral blood monocytes cultured in